



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/743,539

12/23/2003

Satoru Ono

Q79071

5784

23373 7590 02/06/2008
SUGHRUE MION, PLLC
2100 PENNSYLVANIA AVENUE, N.W.
SUITE 800
WASHINGTON, DC 20037

EXAMINER

TYLER, NATHAN K

ART UNIT

PAPER NUMBER

2625

MAIL DATE

DELIVERY MODE

02/06/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/743,539	Applicant(s) ONO, SATORU	
	Examiner Nathan K. Tyler	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 November 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 and 7-12 is/are rejected.
- 7) ☒ Claim(s) 5 and 6 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, filed 15 November 2007, with respect to rejections under 35 U.S.C. 101, have been fully considered and are persuasive. The rejections of claims 11 and 12 have been withdrawn.
2. Applicant's arguments, with respect to rejections under 35 U.S.C. 112, second paragraph, have been fully considered and are persuasive. The rejection of claim 9 has been withdrawn.
3. Applicant's arguments, with respect to rejections under 35 U.S.C. 103(a) have been fully considered but they are not persuasive.

Applicant argues that the combination of Yoda and Konishi does not teach colors being rendered only by components of a "specific color." In response, the Examiner respectfully disagrees. Konishi teaches that the conversion table used for adjusting color component values is grayscale. Therefore, all colors will be rendered only by components of the specific color black.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 2, 3, 4, 7, 8, 9, 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Yoda et al. (US 5502580 A) and Konishi (US 6046820 A).

Regarding **claim 1**, Yoda discloses A print control method comprising a step for referring to a previously stored profile (Fig. 9, S2 “set device profile”) and generating a color conversion table for transforming a specific color in said input image data into output image data (Fig. 9, S6 “generate image conversion table”); and a step for carrying out color conversion referring to the color conversion table (Fig. 9, S8 “convert color image data”), and performing print operation (Fig. 9, S9 “output color image”).

Yoda does not disclose that the colors are rendered only by color components of a specific color.

Konishi discloses an image reproduction method where a look up table is used to convert values only rendered by color components of a specific color (“At this time the data processor 12 refers to a grayscale correction table 16... to convert a logical grayscale value specified in the document file to an appropriate grayscale value” at column 3, line 22).

It would have been obvious at the time the invention was made to one of ordinary skill in the art to use the grayscale correction table disclosed by Konishi in the image reproduction method disclosed by Yoda, so that grayscale image data could be color converted as well as color image data.

Regarding **claim 2**, the combination of Yoda and Konishi as applied to claim 1 discloses a print control method comprising a step for storing beforehand on a predetermined storage medium (“The device profile generator 18... stores the device profile group” at Yoda column 6, line 34) a first profile wherein the combinations of color component values in the first color space are in correspondence with the combinations of color component values in a second color space composed of non-equipment-dependent color components (see Yoda Fig. 2, “input device profile group”) and a second profile wherein the combinations of color component values in a third color space composed of the ink color components of said printing device are in correspondence with the combinations of color component values in said second color space (see Yoda Fig. 2, “output device profile group”); a step for bringing a color rendered only by a specific color component value in said first color space and a color rendered only by a specific color component value in said third color space into correspondence with each other in the second color space, referring to said first profile and second profile, and generating a color conversion table which defines the correspondence between the color component values in the first color space which render the color and the color component values in the third color space which render the color (see Yoda Fig. 9, S3 “generate common color space conversion table;” S5 “generate specific color space conversion table;” S6 “generate image conversion table”); a step for converting colors rendered only by the specific color component value in said acquired image

data into colors rendered only by the specific color component value in the third color space, referring to the color conversion table (see grounds for rejection for claim 1 regarding use of conversion tables for grayscale image data); and a step for performing print operation based on the image data which underwent the color conversion (Yoda Fig. 9, S8 “output image data”).

Regarding **claim 3**, the combination of Yoda and Konishi as applied to claim 1 discloses that at least one color of the color components in said first color space and at least one color of the color components in the third color space are specific colors in the same family, and the colors rendered only by said specific color component value are the specific colors (see grounds for rejection for claim 1. If grayscale input and output image data is used, the specific colors will be in the same family, as grayscale image are rendered using only the color black).

Regarding **claim 4**, the combination of Yoda and Konishi as applied to claim 1 discloses that the specific colors are black (see grounds for rejection for claim 3).

Regarding **claim 7**, the combination of Yoda and Konishi as applied to claim 1 discloses that a plurality of profiles can be stored, and specified profiles are referred to as said first profile and second profile when said image data is printed (see Yoda Fig. 2, plurality of profiles shown).

Regarding **claim 8**, the combination of Yoda and Konishi as applied to claim 1 does not disclose a plurality of color components corresponding to a plurality of ink colors different in density, the method comprising a step for generating a color conversion table wherein a color rendered only by a specific color component value in the third color space is rendered by a plurality of color component values corresponding to a plurality of said ink colors different in density.

It would have been obvious at the time the invention was made to one of ordinary skill in the art to use a plurality of colors to render the specific color, in case the printer ran out of black ink, a combination of C, M, and Y could be used to achieve a black image [official notice].

Regarding **claim 9**, the combination of Yoda and Konishi as applied to claim 1 discloses a print controller comprising an image acquiring unit that acquires input image data (Fig. 1, numeral 10 “image input unit”) wherein colors are rendered by the combinations of a plurality of color component values (Fig. 9, S7 “read color image data”) and transforms the input image data into output image data wherein colors are rendered by the combinations of gradation values corresponding to ink colors used in a printing device when print operation is performed (Fig. 9, S8 “convert color image data”, S9 “output color image”), a color conversion table generating unit that generates, by referring to a previously stored profile (Fig. 9, S2 “set device profile”), a color conversion table for transforming a specific color in said input image data into output image data wherein colors are rendered only by color components of the specific color (see grounds for rejection for claim 1); and a color conversion unit that converts the colors rendered only by the color components of the specific color in said input image data, by referring to the color conversion table, when print operation is performed (see grounds for rejection for claim 1).

Regarding **claim 10**, the combination of Yoda and Konishi as applied to claim 1 discloses a print controller comprising: an image data acquiring unit which acquires image data wherein colors at the pixels constituting an image are rendered by color component values in a first color space (Yoda Fig. 1, “image input unit”); a first profile storing unit which stores first profiles wherein the combinations of color component values in the first color space and the

combinations of color component values in a second color space composed of non-equipment-dependent color components are in correspondence with each other (see grounds for rejection for claim 2, input device profile); a second profile storing unit which stores second profiles wherein the combinations of color component values in a third color space composed of the ink color components of said printing device and the combinations of color component values in said second color space are in correspondence with each other (see grounds for rejection for claim 2, output device profile); a color conversion table generating unit which brings a color rendered only by a specific color component value in said first color space and a color rendered only by a specific color component value in said third color space into correspondence with each other in the second color space, referring to said first profile and second profile, and generates a color conversion table which defines the correspondence between the color component value in the first color space which indicates this color and the color component value in the third color space which indicates this color (see grounds for rejection for claim 2); a color conversion unit which converts a color rendered only by a specific color component value in said acquired image data into a color rendered only by a specific color component value in the third color space, referring to said color conversion table (see grounds for rejection for claim 2); and a print operation performing unit which performs print operation based on the image data which underwent the color conversion (see grounds for rejection for claim 2).

Regarding **claim 11**, the combination of Yoda and Konishi as applied to claim 1 discloses a computer-readable medium storing a print control program (Yoda Fig. 1 shows processor 23 reading code from memory 31), wherein the program causes a computer to carry out a function of generating a color conversion table for converting a specific color in said input image data

into output image data wherein colors are rendered only by color components of the specific color (see grounds for rejection for claim 1), referring to a previously stored profile (Fig. 9, S2 “set device profile”); and carrying out color conversion referring to the color conversion table with respect to colors rendered only by color components of the specific color in said input image data when print operation is performed (see grounds for rejection for claim 1).

Regarding **claim 12**, the combination of Yoda and Konishi as applied to claim 1 discloses a computer-readable medium storing a print control program, wherein the program causes a computer to carry out a function of storing on a predetermined storage medium a first profile wherein the combinations of color component values in the first color space and the combinations of color component values in a second color space composed of non-equipment-dependent color components are in correspondence with each other and a second profile wherein the combinations of color component values in a third color space composed of the ink color components of said printing device and the combinations of color component values in said second color space are in correspondence with each other; a color conversion table generating function of bringing a color rendered only by a specific color component value in said first color space and a color rendered only by a specific color component value in said third color space into correspondence with each other in a second color space, referring to said first profile and second profile, and generating a color conversion table which defines the correspondence between the color component value in the first color space which indicates this color and the color component value in the third color space which indicates this color; a color conversion function of converting a color rendered only by a specific color component value in said acquired image data into a color rendered only by a color component value in the third color

space, referring to the color conversion table; and a print operation performing function of performing print operation based on the image data which underwent the color conversion (see grounds for rejection for claim 2).

Allowable Subject Matter

6. Claims 5 and 6 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Regarding **claim 5, and claim 6** which depends from claim 5, the prior art does not teach a step for extracting a plurality of colors rendered only by a specific color component value from both said first profile and second profile; a step for carrying out interpolation, referring to colors calculated from either profile, to increase the number of colors rendered only by the specific color component value; a step for, if the colors increased in number and a plurality of said colors calculated from the other profile are within a predetermined color difference in the second color space, taking them as the same color and combining them to thereby establish the correspondence in said second color space; and a step for defining the correspondence between color component values in the first color space and color component values in the third color space over the whole range of value of the specific color component by interpolation referring to the sets brought into correspondence.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nathan K. Tyler whose telephone number is 571-270-1584. The examiner can normally be reached on M-F 7:30am - 5:00pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, King Poon can be reached on 571-272-7440. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:
10/743,539
Art Unit: 2625

Page 11

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


KING BOON
SUPERVISORY PATENT EXAMINER


Nathan K Tyler
Examiner
Art Unit 2625